Food Establishment Inspection Report Score: 97 Establishment Name: OSAKA JAPANESE RESTAURANT Establishment ID: 3034011497 Location Address: 120 C CENTURY PLACE COURT Date: <u>Ø 4</u> / <u>1 1</u> / <u>2 Ø 1</u> 9 Status Code: A City: KERNERSVILLE State: NC Time In: $12 : 55 \overset{\bigcirc}{\otimes} ^{am}_{pm}$ Time Out: <u>Ø 4</u>: <u>1 Ø ⊗ pm</u> County: 34 Forsyth Zip: 27284 Total Time: 3 hrs 15 minutes **DUONG TRIEU & PHONG T TRAN** Permittee: Category #: IV Telephone: (336) 996-0452 FDA Establishment Type: Full-Service Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 1 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 ⊠ | □ | □ | Plant food properly cooked for hot holding 1 0.5 0 🗆 🗆 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 6 □ 🖂 42880 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 37 🗆 🗷 preparation, storage & display 10 Food received at proper temperature 38 🗵 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗆 🗷 Wiping cloths: properly used & stored 1 0.5 🗶 🗆 🗆 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils 13 🔀 Food separated & protected 3 1.5 0 41 □ | 🔀 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 1.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 21 🖂 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| □ | □ | 🖼 | 2 1 0 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗆 🗷 **X** 0.5 0 \square **X** Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

		Commen	t Adde	ndum to	Food Es	stablishr	nent l	<u>Inspection</u>	Report	
Establ	ishmeı	nt Name: OSAKA JAP	ANESE RE	STAURANT		Establish	ment ID): <u>3034011497</u>	-	
Location Address: 120 C CENTURY PLACE COU City: KERNERSVILLE County: 34 Forsyth Zip Wastewater System: Municipal/Community □ On-Sit Water Supply: Municipal/Community □ On-Sit Permittee: DUONG TRIEU & PHONG T TRAN				Zip: 27284 On-Site System On-Site System	State: NC Zip: 27284 Site System		☐ Inspection ☐ Re-Inspection ☐ Date: 04/11/2019 Comment Addendum Attached? ☐ Status Code: ☐ A Water sample taken? ☐ Yes ☒ No Category #: ☐ IV Email 1: tranosaka@yahoo.com			
			Email 2:							
ı ele	pnone:	(336) 996-0452		T		Email 3:				
			اما الما			oservation		!		
Item ServSa	fe	Location Phuong T. 7/28/19	Temp 0	•	Location Hot Holding		Temp 180	ees or less	Location	Temp
Hot Wa	iter	3 Compartment Sink	125	Steak	Hot Holding	9	149			
Chlor. S	Sani.	3 Compartment Sink	100	Salad	Walk in Co	oler	41	-		
Chicker	n	Final Cook	173	Rice	Hot Holding	3	184	_		
Scallop	s	Final Cook	186							
Shrimp		Final Cook	172							
Steak		Final Cook	174					.,		
Egg Ro	oll	Reheat	204							
	Vi	olations cited in this repo		Observation corrected within	_				1 of the food coo	le.
37 (3-305.1 on floor 3-307.1 Miscella	mployees shall clean to CDI: Employee was end of the CDI: Employee was end	ducated a enting Co food shall	ntamination from the protected on - C- Emplo	hands using the Prentition contarty	g proper cleanises - C- Munination by selon stored of	aning pr ultiple ba toring at	ocedure. 0pts. ags of onions an least 6inches a	d bins of mayo	onnaise stored . //
		4 Wiping Cloths, Use n uses. 0pts.	Limitatior	ı - C- One wet	wiping clotl	n stored on t	op of sa	uce bin. Hold in	-use wiping clo	oths in sanitizer
Lock Text			Fii	ret	1 :	ast		, 0		
Person	in Char	ge (Print & Sign):	nuong		Tran			15	<u> </u>	
Regulat	tory Aut	hority (Print & Sign):	<i>Fii</i> erly	rst	Patteson La	ast	کے	10		
		REHS ID:	2744 - Pa	atteson, Iverl	y		Verifica	ation Required Da	te: /	1
F		ontact Phone Number:				Hoolth . Envirs	nmontal U	calth Section • Fe	ad Drotostian Dros	TOP O

KOPH

Establishment Name: OSAKA JAPANESE RESTAURANT Establishment ID: 3034011497

Observations	and Carr	o otivo	A otions
COSELVATIONS	700 COU	echve	ACHORS

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



41 3-304.12 In-Use Utensils, Between-Use Storage - C- REPEAT-Handle of scoop stored touching onions. In-use utensils shall be stored with handles above the food. CDI- Handle removed from food.

45 4-501.11 Good Repair and Proper Adjustment-Equipment - C- Bottom shelves of all prep tables have began to rust and chip paint. Refinish surfaces. Caulk has began to drip at the hood. Remove or replace. Equipment shall be maintained in good repair. 0pts.

47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - C-REPEAT- Additional cleaning is needed on the grease residue on the hood, exterior of blender, exterior of oven and the shelving in front of the walk in cooler. Non food contact surfaces of equipment shall be maintained clean.

52 5-501.113 Covering Receptacles - C-REPEAT- One dumpster door maintained open. Receptacles shall be kept covered with tight-fitting door.

6-501.16 Drying Mops - C- Mop is being stored in mop bucket full of water. After use, mops shall be placed in a position that allows them to air-dry without soiling walls, equipment, or supplies. Opts.





Establishment Name: OSAKA JAPANESE RESTAURANT Establishment ID: 3034011497

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: OSAKA JAPANESE RESTAURANT Establishment ID: 3034011497

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: OSAKA JAPANESE RESTAURANT Establishment ID: 3034011497

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



