Food Establishment Inspection Report Score: 91 Establishment Name: FIREHOUSE SUBS Establishment ID: 3034012526 Location Address: 205 S. STRATFORD RD. SUITE F Date: <u>Ø 6</u> / <u>1 9</u> / <u>2 Ø 1 9</u> Status Code: A City: WINSTON SALEM State: NC Time In: $\emptyset \ 2 : 33 \overset{\bigcirc{}}{\otimes} \stackrel{am}{\otimes} pm$ Time Out: Ø 5 : 31 $_{\otimes}^{\circ}$ pm County: 34 Forsyth Zip: 27103 Total Time: 2 hrs 58 minutes PURE TRIDENT, INC. Permittee: Category #: IV Telephone: (336) 293-6230 FDA Establishment Type: Full-Service Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 4 No. of Repeat Risk Factor/Intervention Violations: 2 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | 🗆 | 🖾 | 🗆 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ 🗵 1 0.5 0 X Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 31 🗆 🗖 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 🛛 🗆 Hands clean & properly washed Food Identification .2653 No bare hand contact with RTE foods or pre-3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 X Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 Approved Source .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 - -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗵 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗆 🗷 Wiping cloths: properly used & stored 1 0.5 🗶 🗆 🗆 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 40 🛛 🗀 Washing fruits & vegetables 1 0.5 0 🗆 🗆 **Protection from Contamination** .2653, .2654 Proper Use of Utensils 3 1.5 0 13 Food separated & protected 41 □ | 🔀 In-use utensils: properly stored 14 🗆 \times Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖂 🗀 210 reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🗆 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Proper reheating procedures for hot holding Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🗆 🗷 \boxtimes 3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🛛 🗀 🗀 🗀 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 20 🗆 3**×**0×□ Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 21 🛛 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| 🗆 | 🗆 | 🔀 210 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🔀 1 0.5 0 ... 50 🗷 🗆 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗆 🗷 1 0.5 🗶 🗶 🗆 Chemical .2653, .2657 maintained 25 | | | | | | 53 🗆 🗷 **X** 0.5 0 | | Food additives: approved & properly used 1 0.5 0 П Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

| Comment Addendum to Food Es | | | | | | | | | | |
|--|---|----------------------|------------------------------|--|---|------------------------------|-------------------|--------------------------------|-------------|--|
| Establishment Name: FIREHOUSE SUBS | | | | | | Establishment ID: 3034012526 | | | | |
| Location Address: 205 S. STRATFORD RD. SUITE F | | | | | ☑ Inspection ☐ Re-Inspection Date: 06/19/2019 | | | | | |
| City: WINSTON SALEM State: NC | | | | | Comment Addendum Attached? Status Code: A | | | | | |
| County: 34 Forsyth Zip: 27103 | | | | Water sample taken? 🗌 Yes 🔀 No Category #: 🔃 | | | | | | |
| Wastewater System: ☑ Municipal/Community ☐ On-Site System Water Supply: ☑ Municipal/Community ☐ On-Site System | | | | | Email 1: srila_surapaneni@yahoo.com | | | | | |
| Permittee: PURE TRIDENT, INC. | | | | Email 2: | | | | | | |
| Telephor | ne: (336) 293-6230 | | | | Email 3: | | | | | |
| | | | Tempe | erature Ob | servatio | าร | | | | |
| | С | old Hol | ding Tem | perature i | s now 4 | 1 Degr | ees or les | 5 | _ | |
| Item Philly Steak | Location sandwich make-unit | Temp 52 | Item Turkey | Location reach-in | | Temp 43 | Item Quat Sani | Location 3 compartment sink | Temp 300 | |
| Brisket | sandwich make-unit | 58 | Lettuce | reach-in | | 44 | - | | | |
| Ambient | sandwich make-unit | 55 | Corn Beef | upright cool | er | 41 | | | | |
| Tomatoes | sandwich make-unit | 47 | Salad | upright cool | er | 41 | | | | |
| Lettuce | sandwich make-unit | 38 | Roast Beef | walk-in cool | er ———— | 41 | -1 | | | |
| Chicken | sandwich make-unit | 45 | Cornbeef | walk-in cool | | 40 | | | | |
| Turkey | sandwich make-unit | 39 | Tomatoes | walk-in cool | | 38 | ., | | | |
| Ham | sandwich make-unit | 39 | Hot Water | 3 compartm | | 150 | -1 | | | |
| | Violations cited in this repo | | Observation corrected within | | | | | 11 of the food code. | | |
| food | 2.11 Demonstration - C: operation, during inspec ection manager who has | ctions and | upon request | , the person | in charge s | hall demo | onstrate knowl | edge by being a certi | ified food | |
| | 5.11 Using a Hand wash eparation area is unable | | | | | | | | ashing sink | |
| soile and l | 1.11 (A) Equipment, Food in the clean dish area: black build-up. Food cone cleaned. | 1 vegetal | ole dicer with o | dried food re | sidue, 1 len | non wedg | ger, 2 pans, an | d 1 ice shield soiled | with black | |
| \bigcirc | | - | | | - 4 | | | | | |
| D | harge (Print & Sign): | <i>Fil</i> rtivia | รับ | La Kelley | St | | 1. | Kellen | | |

REHS ID: 2795 - Murphy, Victoria

First

Verification Required Date: <u>Ø 6</u> / <u>2 Ø / 2 Ø 1 9</u>

REHS Contact Phone Number: (336)703 - 3814

Regulatory Authority (Print & Sign): Victoria

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section

DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013

Last



Murphy

Establishment Name: FIREHOUSE SUBS Establishment ID: 3034012526

| Observations | and Ca | rrootivo | A ations |
|--------------|-------------|----------|----------|
| COSEIVAIIONS | 5 711101 (7 | mechve | ACHORS |

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



- 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P: The following items measured at temperatures above 41 F: (make-unit) tomatoes (45 F-47 F), brisket (58 F), Philly steak (52 F), chicken (45 F) (reach-in) lettuce (44 F) and turkey (43 F). Potentially hazardous food shall be maintained at a temperature of 41 F or below. CDI: Items measuring above 47 F were discarded, remaining items were placed on ice baths to reach and maintain temperatures of 41 F or below.
- 4-301.11 Cooling, Heating, and Holding Capacities-Equipment PF: Sandwich make-unit is incapable of holding items at 41 F or below. Ambient air temperature of unit measured at 55 F. Equipment for cooling and heating food and holding cold and hot food shall be sufficient in number and capacity to provide food temperatures. VR required by 06/20/2019. Contact Victoria Murphy at (336)703-3819 or murphyvl@forsyth.cc
- 39 3-304.14 Wiping Cloths, Use Limitation C: Wet wiping cloths observed on preparation tables. Cloths in use for wiping counters and other surfaces shall be held between uses in a chemical sanitizer solution. 0-point
- 3-304.12 In-Use Utensils, Between-Use Storage C: Utensils used for hot holding items being held in soiled still water. During pauses in food preparation or dispensing, food preparation and dispensing utensils shall be stored: on clean portion of the food preparation table or cooking equipment if the surfaces is cleaned and sanitized, in running water with sufficient velocity to flush particulates to the drain, in container of water if the water is maintained at a temperature of at least 135 F.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C: Leaking observed in reach-in cooler./ Reattach gasket in walk-in cooler/Replace or discarded broken vegetable dicer. Equipment shall be maintained in good repair. 0-point
- 4-602.13 Nonfood Contact Surfaces -REPEAT- C: Thorough cleaning needed to the following items: Outside ice shield, inside make-units, inside reach-in cooler, and front and outer surfaces of all equipment. Nonfood-contact surfaces of equipment shall be cleaned at a frequency to preclude accumulation of soil residues.
- 52 5-501.111 Area, Enclosures and Receptacles, Good Repair C: Damaged lid on outside receptacle. Storage areas, enclosures, and receptacles for refuse, recyclable, and returnable shall be maintained in good repair.// 5-501.113 Covering Receptacles C: Lid open on outside receptacle. Receptacles and waste handling units for refuse, recyclable, and returnable shall be kept covered. 0-point





Establishment Name: FIREHOUSE SUBS Establishment ID: 3034012526

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C: Low grout between floor tiles on sandwich prep line. Physical facilities shall be maintained in good repair.//6-501.12 Cleaning, Frequency and Restrictions-REPEAT - C: Thorough cleaning needed throughout establishment on floors under and behind equipment/Thorough wall cleaning needed throughout the establishment.





Establishment Name: FIREHOUSE SUBS Establishment ID: 3034012526

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: FIREHOUSE SUBS Establishment ID: 3034012526

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



