Food Establishment Inspection	Report		Score: <u>98</u>		
Establishment Name: GRAZE Establishment ID: 3034011747					
Location Address: 425 NORTH CHERRY STREET					
City: WINSTON SALEM State: NC Date: Ø 6 / 2Ø / 2Ø 1 9 Status Code: A					
Zip: 27101 County: 34 Forsyth Time In: $11 : 45 \bigcirc pm$ Time Out: $03 : 20 \bigotimes pm$					
Permittee: HV WINSTON SALEM I, LLC Total Time: <u>3 hrs 35 minutes</u>					
Telephone: (336) 725-3500 Category #: IV					
Wastewater System: Municipal/Community On-Site System					
•	-	No. of Risk Factor/Intervention Violation	s: <u>1</u>		
Water Supply: Municipal/Community On-	Site Supply	No. of Repeat Risk Factor/Intervention V	iolations:		
Foodborne Illness Risk Factors and Public Health Int Risk factors: Contributing factors that increase the chance of developing food Public Health Interventions: Control measures to prevent foodborne illness o	borne illness.	Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.			
IN OUT N/A N/O Compliance Status	OUT CDI R VR		OUT CDI R VR		
Supervision .2652 1 Image: Comparison of the sector of the sect		Safe Food and Water .2653, .2655, .2658			
1 Image: Constraint of the second constraint of the seco		28 Pasteurized eggs used where required			
2 X Anagement, employees knowledge; responsibilities & reporting	31.50	29 ⊠ □ Water and ice from approved source 20 □ □ ▼ Variance obtained for specialized processing			
3 X Proper use of reporting, restriction & exclusion	31.50				
Good Hygienic Practices .2652, .2653		Food Temperature Control .2653, .2654 31 X Proper cooling methods used; adequate equipment for temperature control			
4 🛛 🗆 Proper eating, tasting, drinking, or tobacco use	210 🗆 🗆	31 Image: Control in the second sec			
5 🛛 🗆 No discharge from eyes, nose or mouth	10.50	33 33 Approved thawing methods used			
Preventing Contamination by Hands .2652, .2653, .2655, .2656					
6 X Hands clean & properly washed	420	34 X Thermometers provided & accurate Food Identification .2653			
7 🛛 🗆 🗳 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	31.50	- 35 🔀 🗌 Food properly labeled: original container	21000		
8 🛛 🗆 Handwashing sinks supplied & accessible	210	Prevention of Food Contamination .2652, .2653, .2654, .2656,			
Approved Source .2653, .2655 9 X I Food obtained from approved source Food obtained from approved source	210000	36 ⊠ □ Insects & rodents not present; no unauthorized animals	1 210		
		37 X Contamination prevented during food preparation, storage & display	210		
		38 🛛 🗌 Personal cleanliness	10.50		
11 X Food in good condition, safe & unadulterated 11 X Required records available: shellstock tags,		39 🔀 🔲 Wiping cloths: properly used & stored	10.50		
12 Image: Construction in the second structure in the se	21000	40 🛛 🗌 🔲 Washing fruits & vegetables	10.50		
13 ⊠ □ □ Food separated & protected	3150	Proper Use of Utensils .2653, .2654			
14 🗌 🔀 Food-contact surfaces: cleaned & sanitized	31.5 🗙 🗙 🗆 🗆	41 X III In-use utensils: properly stored			
Proper disposition of returned, previously served,		42 🛛 🗌 Utensils, equipment & linens: properly stored, dried & handled			
IS Image: Constraint of the second seco		43 🖾 🗆 Single-use & single-service articles: properly stored & used	10.50		
16 🛛 🗆 🗆 Proper cooking time & temperatures	31.50	44 🔀 🔲 Gloves used properly	1050 🗆 🗆		
17 🗆	31.50	Utensils and Equipment .2653, .2654, .2663			
18 🗆 🗆 🖾 Proper cooling time & temperatures	31.50	45 A kinetic approved, cleanable, properly designed, constructed. & used			
19 🛛 🗆 🗆 Proper hot holding temperatures	31.50	46 🖾 🗆 Warewashing facilities: installed, maintained, & used; test strips	× 10.50		
20 🔀 🗌 🔲 Proper cold holding temperatures	31.50	47 🕅 🗌 Non-food contact surfaces clean			
21 🛛 🗆 🗆 Proper date marking & disposition	31.50	Physical Facilities .2654, .2655, .2656			
22 Time as a public health control: procedures & records	210	48 🛛 🗌 🔲 Hot & cold water available; adequate pressure	210		
Consumer Advisory .2653		49 Image: Second state of the second state of			
23 2 Consumer advisory provided for raw or undercooked foods		50 🛛 🗌 Sewage & waste water properly disposed			
Highly Susceptible Populations .2653 24 Image: State and Stat		51 🛛 🗆 🔲 Toilet facilities: properly constructed, supplied & cleaned	10.50		
24 Image: Chemical interview Offered interview Chemical .2653, .2657		52 🛛 🗆 Garbage & refuse properly disposed; facilities maintained	10.50		
25 C Korrenter Food additives: approved & properly used		53 X Physical facilities installed, maintained & clear			
26 🛛 🗌 Toxic substances properly identified stored, & used		54 🗆 🔀 Meets ventilation & lighting requirements; designated areas used			
Conformance with Approved Procedures .2653, .2654, .2658					
27 🗆 🗖 🔀 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	21000	Total Deductio	ns: ²		



North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to Food Establishment Insp	ection Report

Establishment Name: GRAZE	Establishment ID: 3034011747				
Location Address: 425 NORTH CHERRY STREET City: WINSTON SALEM State: NC County: 34 Forsyth Zip: 27101 Wastewater System: Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System Permittee: HV WINSTON SALEM I, LLC Telephone: (336) 725-3500	Inspection Re-Inspection Date: 06/20/2019 Comment Addendum Attached? Status Code: A Water sample taken? Yes X No Category #: IV Email 1: krobert@hvmg.com Email 2: Email 3:				
Temperature Observations					
Cold Holding Temperature is now 41 Degrees or less					

ltem Sweet potato	Location hot hold	Temp 138	Item Mussels	Location drawer cooler	Temp 39	ltem butter & fat	Location veggie walk in	Temp 39
gaspacho	upright	39	PEI mussels	MA-3257-SS	0	hash	walk in	39
cocktail sauce	upright	39	Blue cheese	ice bath	40	mac and	walk in	39
lettuce	upright	38	tomato	ice bath	41	octopus	walk in	40
tomato	upright	38	cabbage	ice bath	40	hot plate	dish machine	162
tomato	drawer cooler	38	raw beef	upright	39	sanitizer (cl)	bar dish (ppm)	100
crab cake	drawer cooler	39	burger	upright	40	hot water	three comp sink	144
salmon	drawer cooler	39	Richard Miller	2/24/23	0	sanitizer (qac)	three comp sink (ppm)	200

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

14 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - P One press juicer stored with dried fruit pulp in strainer. One soda nozzle soiled with light debris. Food contact surfaces shall be kept clean to sight and touch. CDI: PIC had both items cleaned and sanitized during inspection. 0 pts

- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C Minor rust on shelving in walk in cooler and on wire shelf in drink storage room. One gasket torn on main walk in cooler door. Equipment shall be kept in good repair. Repair noted items. 0 pts
- 49 5-203.14 Backflow Prevention Device, When Required P Three coffee machines connected with water lines that split off from main supply. All fixtures demanding water supply must be protected by adequate backflow prevention. Attach ASSE 1022 backflow prevention devices to each of the coffee machines water lines to add sufficient protection. Backflow preventers ordered during inspection. Contact Joseph Chrobak at (336) 703-3164 or Chrobajb@forsyth.cc for verification of installation.

LOCK Text					
-	First	L	ast la lana		
Person in Charge (Print & Sign):			malina		
	First	L Chrobak	ast N		
Regulatory Authority (Print & Sign): ^{Jo}	ocopii	Omobali	A Company of the second		
REHS ID:	2450 - Chrobak,	Joseph	Verification Required Date: <u>Ø6</u> / <u>30</u> / <u>2019</u>		
REHS Contact Phone Number: (336) 703 - 3164 North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Page 2 of Food Establishment Inspection Report, 3/2013					

Spell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: GRAZE

Establishment ID: <u>3034011747</u>

	×
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.	Spell

- 6-201.11 Floors, Walls and Ceilings-Cleanability C Recaulk soiled drainboard of dish machine to wall as old caulking is damaged. Reseal left vent to ceiling grit at dish machine where it has detached. Seal hole in ceiling around fire suppressor at dish machine. // 6-101.11 Surface Characteristics-Indoor Areas - C Cutting board and utensils in drink storage room with rough surface brick wall. PIC stated that limes are cut in this area. As per remodel visit on 3/29/19: "Due to brick wall, storage closet may only be used for bar drink storage."
- 54 6-303.11 Intensity-Lighting C As per Remodel visit on 3/29/19: Lighting is low in restrooms at toilets with lighting in mens restroom ranging from 4 - 16 foot candles and lighting in womens restroom ranging from 10 - 17 foot candles. Increase lighting at toilets to 20 foot candles.





Establishment Name: GRAZE

Establishment ID: 3034011747

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



√ Spell Establishment Name: GRAZE

Establishment ID: 3034011747

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: GRAZE

Establishment ID: 3034011747

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

