| Food Establishment Inspection Report Score: 90.5 | | | | | | | | Score: 90.5 | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|-------|-----|-----------------------------------------------------------------------------------------------|----------------------------------|---------|------------------------------------------------------------------------------------------------------------|------------------|--|
| Establishment Name: LITTLE VITOS PIZZA | | | | | | Est | ablishment ID: 3034012215 | | |
| Location Address: 428C NORTH MAIN SREET XInspection | | | | | | | | | |
| | Date: | | | | | | | | |
| Zip: 27284 County: 34 Forsyth Time In:2:50 PM Time Out:4:52 PM | | | | | | | | | |
| Permittee: LOURAN LLC Total Time: 2 hrs 2 min | | | | | | | | | |
| Telephone: (336) 497-4715 Category #: II | | | | | | | | | |
| Wastewater System: XMunicipal/Community On-Site System FDA Establishment Type: Fast Food Restaurant No. of Risk Factor/Intervention Violations: 6 | | | | | | | | | |
| Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 1 | | | | | | | | | |
| Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices | | | | | | | | | |
| Risk factors: Contributing factors that increase the chance of developing foodborne illness. | | | | Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, | | | | | |
| Public Health Interventions: Control measures to prevent foodborne illness or in | | | | | and physical objects into foods. | | | | |
| IN OUT N/A N/C Compliance Status Supervision .2652 | OUT C | GDI R | | | | | Water .2653, .2655, .2658 | OUT CDI R VR | |
| 1 B B B C Present: Demonstration-Certification by D accredited program and perform duties | | | | 28 | | | Pasteurized eggs used where required | | |
| Employee Health .2652 | | | -1- | \vdash | _ | | Water and ice from approved source | | |
| 2 Anagement, employees knowledge; responsibilities & reporting | 3 15 0 | | | 30 | _ | | Variance obtained for specialized proces | | |
| 3 I Proper use of reporting, restriction | 3 1.5 Ŭ | | 히 | | | | methods ture Control .2653, .2654 | | |
| Good Hygienic Practices .2652, .2653 | | | | 31 🛛 | | | Proper cooling methods used: adequate | | |
| 4 I Proper eating, tasting, drinking, or tobacco | 210 | | 미 | 32 | _ | | equipment for temperature control | | |
| 5 🛛 🗌 No discharge from eyes, nose or mouth | 1 0.5 0 (| | | $H \rightarrow$ | _ | _ | | | |
| Preventing Contamination by Hands .2652, .2653, .2655, .2656 | 3 | - | - | | - | | Approved thawing methods used | | |
| | 4 Z D | | 미 | 34 🛛 | | ntifier | Thermometers provided & accurate | | |
| 7 🛛 🗆 🗆 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed | 3 1.9 () | 미미 | 미 | 35 | | ntifica | Food properly labeled: original container | | |
| 8 🗆 🛛 Handwashing sinks supplied & accessible | Z X D (| ØC | | | _ | on of f | Food Contamination .2652, .2653, .2654, .2 | | |
| Approved Source .2653, .2655 | | _ | — | 36 🛛 | _ | | Insects & rodents not present; no | 210 | |
| 9 🖾 🗆 Food obtained from approved source | Z 1 0 | | 미 | 37 🛛 | | - | unauthorized animals Contamination prevented during food | | |
| 10 Food received at proper temperature | Z 1 D | | | $ \rightarrow $ | _ | | preparation, storage & display | | |
| 11 🛛 🗆 Food in good condition, safe & unadulterated | 2 1 0 | | | 38 🛛 | | | Personal cleanliness | | |
| 12 D B Required records available: shellstock tags, parasite destruction | 210 | | 히 | 39 🛛 | | | Wiping cloths: properly used & stored | | |
| Protection from Contamination .2653, .2654 | | | | 40 🛛 | | | Washing fruits & vegetables | | |
| 13 D Societad & protected | | ⊠∣⊂ | 미 | | _ | se of | Utensils .2653, .2654 | | |
| 14 🗆 🛛 Food-contact surfaces: cleaned & sanitized | 3 13 🕅 (| | | 41 | | | In-use utensils: properly stored | | |
| 15 I Proper disposition of returned, previously Served, reconditioned, & unsafe food | 2 1 0 [| | 히 | 42 🛛 | - | | Utensils, equipment & linens: properly ste dried & handled | | |
| Potentially Hazardous Food Time/Temperature .2653 | | | | 43 🛛 | | | Single-use & single-service articles: prop stored & used | erly DED C C C | |
| 16 Proper cooking time & temperatures | 3 19 0 | | 미 | 44 🛛 | | | Gloves used properly | | |
| 17 C Proper reheating procedures for hot holding | 3 1.9 () | | | Utens | sils | and E | quipment .2653, .2654, .2663 | | |
| 18 Proper cooling time & temperatures | 3 1.5 0 | | 히 | 45 🗆 | ⊠ | | Equipment, food & non-food contact surfa approved, cleanable, properly designed, constructed, & used | | |
| 19 🗆 🖾 🗖 Proper hot holding temperatures | | | םנ | 46 🖾 | | | Warewashing facilities: installed, maintain & used; test strips | ned, mee o o o o | |
| 20 🛛 🗆 🗆 Proper cold holding temperatures | 3 1.9 () | | | 47 🗆 | | | Non-food contact surfaces clean | | |
| 21 🗆 🛛 🗆 Proper date marking & disposition | 3 13 🛛 | | | Phys | ical | Facili | | | |
| 22 D B K Control:procedures & records | 210 | | 히 | 48 🖾 | | | Hot & cold water available; adequate pressure | | |
| Consumer Advisory .2653 | | | | 49 🛛 | | | Plumbing installed; proper backflow device | xes ZAD | |
| 23 Consumer advisory provided for raw or undercooked foods | | | | 50 🖾 | | | Sewage & waste water properly disposed | | |
| Highly Susceptible Populations .2653 | | | | 51 🖾 | | | Toilet facilities: properly constructed, sup & cleaned | | |
| | 3 1.5 0 | | 미 | 52 🛛 | | | Garbage & refuse properly disposed; faci | lities name | |
| Chemical .2653, .2657 25 Image: Chemical in the second s | 0 2.0 | | | 53 | | | Physical facilities installed, maintained | | |
| | | + | + | \vdash | _ | | & clean | | |
| 26 X Conformance with Approved Procedures .2653, .2654, .2658 | 210 | | 미 | 54 🖾 | Ц | | Meets ventilation & lighting requirements designated areas used | | |
| er lo | 210 | | | | | | Total Deductio | ns: 9.5 | |
| or HACCP plan | | | | | | | | | |
| North Carolina Department of Health & Human Services Division of Public Health Fourision of Public Health Fouri | | | | | | | | | |

Comment Addendum to Food Establishment Inspection Report

| Fatabliabu | | | Establishment ID: 3034012215 | _ | | | | | |
|-----------------------------------------------------------------------------------------------------------|---------------------------|-------------------|-----------------------------------------------|----|--|--|--|--|--|
| Establishment Name: LITTLE VITOS PIZZA | | | | | | | | | |
| Location Address: <u>428C NORTH MAIN SREET</u> City: KERNERSVILLE State: NC | | | X Inspection □ Re-Inspection Date: 01/12/2021 | | | | | | |
| - | | State: NC | Comment Addendum Attached? X Status Code: A | | | | | | |
| - | 34 Forsyth | Zip: 27284 | Water sample taken? Yes X No Category #: II | | | | | | |
| Wastewater System: Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System | | | Email 1: loubes3@aol.com | | | | | | |
| Permittee: LOURAN LLC | | | Email 2: | | | | | | |
| Telephone: (336) 497-4715 | | | Email 3: | | | | | | |
| | | Temperature | Observations | | | | | | |
| | Effectiv | | Holding is now 41 degrees or less | | | | | | |
| Item cheese pizza | Location pizza station | Temp Item Locatio | on Temp Item Location Ter | mp | | | | | |
| noodles | walk-in cooler | 39 | | | | | | | |
| spaghetti | walk-in cooler | 40 | | | | | | | |
| lettuce | walk-in cooler | 39 | | | | | | | |
| pepperoni | walk-in cooler | 40 | | | | | | | |
| hot water | 3 compartment sink | 130 | | | | | | | |
| chlorine | 3 comp sink 100ppm | 00 | | | | | | | |
| chlorine | spray bottle 200ppm | 00 | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

| Person in Charge (Print & Sign): Jason | First | Fry | Last | Jorn Fry | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------------|------|-----------------------------|--|--|
| Regulatory Authority (Print & Sign): Damon REHS ID: 2877 - | | Thomas n | Last | Verification Required Date: | | |
| REHS Contact Phone Number: (336) 703-3135 North Carolina Department of Health & Human Services Page 1 of Food Establishment Inspection Report, 3/2013 Food Establishment Inspection Report, 3/2013 | | | | | | |

Comment Addendum to Food Establishment Inspection Report

Establishment Name: LITTLE VITOS PIZZA

Establishment ID: 3034012215

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 1 2-102.12 Certified Food Protection Manager C- REPEAT- The establishment did not a have certified food protection manager on-site during the inspection- At least one employee who has supervisory and management responsibility and the authority to direct and control food preparation and service shall be a certified food protection manager who has shown proficiency of required information through passing a test that is part of an American National Standards Institute (ANSI) accredited program.
- 8 6-301.12 Hand Drying Provision PF- REPEAT- There was no paper towel in the dispenser at the handwashing sink next to the prep tables- Each hand sink shall be provided with individual disposable towels, a continuous clean towel system, heated-air hand drying device or air-knife system using high velocity air- CDI: The dispenser was filled with paper towel.
- 13 3-302.11 Packaged and Unpackaged Food-Separation, Packaging, and Segregation P- Inside of the walk-in cooler (WIC) unpasteurized eggs were stored above ready-to-eat tomato sauce- Food shall be protected from cross-contamination by separating raw animal foods during storage, holding, preparation and display from cooked ready to eat foods and other raw animal foods by stacking order from top shelf to bottom shelf having items with the highest required cooking temperature for safety on the bottom or in the front wells a cold well refrigeration unit- CDI: The eggs were moved to a lower shelf- 0 pts.
- 14 4-602.12 Cooking and Baking Equipment C- Cleaning is needed for the interior surfaces of the microwave- The surfaces, cavities and door seals of the microwave oven shall be cleaned at least every 24 hours by using the manufacturer's recommended cleaning procedure- 0 pts.
- 19 3-501.16 (A)(1) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding P- Cheese pizzas were measured at 60-65F- Potentially hazardous foods shall be maintained at 135F or above- CDI: The pizzas were voluntarily discarded by the person-in-charge (PIC) and education was provided by the REHSI on establishing TPHC procedures- 0 pts
- 21 3-501.17 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking PF- Ham inside of the make-unit opened on 1/10/21 was not labeled with effective date-marking- Potentially hazardous foods that are held for more than 24 hours shall be marked to indicate the day and date by which the items shall be consumed, sold or discarded within a maximum of 7 days at a temperature of 41F or less and the day of preparation shall be counted as day 1- CDI: Date-marking was applied to the item- 0 pts.
- 35 3-302.12 Food Storage Containers Identified with Common Name of Food C- Squeeze bottles containing sauces and oil and containers of salt and seasonings were stored without effective labeling of the contents- Except for containers holding food that can be readily and unmistakably recognized, working containers holding food or food ingredients that have been removed from their original packages shall be identified by the common name of the food- 0 pts.
- 41 3-304.12 In-Use Utensils, Between-Use Storage C- REPEAT- A paper cup being used to dispense flour was stored inside of the container in contact with the surface of the food- During pauses in food preparation or dispensing in food that is not potentially hazardous utensils shall be stored with their handles above the top of the food within containers or equipment that can be closed.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C- REPEAT- Observed shelves in the dry storage area with rusting on the legs, casters and rails. The surfaces of the stand mixer, the undersides of the 3 compartment sinks drainboards, the shelving and legs of the prep tables need to be reconditioned to remove rusting, chipping and oxidation. Replace the torn door gasket for the walk-in cooler- Equipment shall be maintained in good repair.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C- REPEAT- Cleaning is needed on the following pieces of equipment: the exterior of the fryer, pizza oven and backsplash, the interior wall of the WIC and the shelves above the pizza make unit and the interior of the small make unit drawers, the shelving below each of the prep tables, the door gaskets and interior surfaces of the glass door reach-in cooler, the filters in the exhaust hood above the range oven, the floors of the walk-in cooler and the interior surfaces, gasket and shelving inside of the Victory freezer- Non food contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue and other debris.
- 53 6-501.12 Cleaning, Frequency and Restrictions C- REPEAT- General floor cleaning is needed throughout the establishment including but not limited to the kitchen and prep areas, dry storage area, beneath the 3 compartment sink and other equipment-