Food Establishment Inspection	Re	ерс	ort					S	core: 95
Establishment Name: HARDEE'S #1500479						_E	st	ablishment ID: <u>3034012654</u>	
Location Address: 813 SOUTH MAIN STREET									
City: KERNERSVILLE	State: NC Date: 01/13/2021 Status Code: A								
	: 27284 County: <u>34 Forsyth</u> Time In:1:39 PM Time Out:4:40 PM								
Permittee: HARDEE'S RESTAURANTS, LLC Total Time: 3 hrs 1 min									
Telephone: (336) 993-8521								ry #: <u>IV</u> stablishment Type: Fast Food Restau	irant
Wastewater System: Municipal/Community [tem	Ň	DA 10. (of F	Risk Factor/Intervention Violations:	2
Water Supply: XMunicipal/Community On-	Site	Sup	ply					Repeat Risk Factor/Intervention Vic	
Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices									
Risk factors: Contributing factors that increase the chance of developing foodborne illness.			Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,						
Public Health Interventions: Control measures to prevent foodborne illness o								and physical objects into foods.	
IN DUTINA INC Compliance Status Supervision .2652	OUT	CDI	R VR			TN/A		Compliance Status Water .2653, .2655, .2658	OUT CDI R VR
1 ⊠ □ □ PIC Present: Demonstration-Certification by accredited program and perform duties		ทุก		28	-			Pasteurized eggs used where required	
Employee Health .2652				29	-	-	H	Water and ice from approved source	
2 Anagement, employees knowledge; responsibilities & reporting	3 15	0		30	-	-	\square	Variance obtained for specialized processing	
3 X C Proper use of reporting, restriction	3 1.5				_		erat	methods ure Control .2653, .2654	
Good Hygienic Practices .2652, .2653	<u> </u>			31	_	_		Proper cooling methods used; adequate equipment for temperature control	
4 🖾 🗆 Proper eating, tasting, drinking, or tobacco	21			32	-	-		equipment for temperature control Plant food properly cooked for hot holding	
5 🛛 🗌 No discharge from eyes, nose or mouth	1 0.5	0			-				
Preventing Contamination by Hands .2652, .2653, .2655, .26		_			-	-	Ц	Approved thawing methods used	
6 🖾 🗆 Hands clean & properly washed	4 2	םם		34 🛛				Thermometers provided & accurate	
7 🛛 🗆 🗖 No bare hand contact with RTE foods or pre approved alternate procedure properly follower	3 1.5	۵		500 35	_	_	ica	Food properly labeled: original container	
8 🗆 🛛 Handwashing sinks supplied & accessible		DX			_		of F	ood Contamination .2652, .2653, .2654, .265	
Approved Source .2653, .2655		_		36 🛛	_	_		Insects & rodents not present; no	
9 🖾 🗆 Food obtained from approved source	21	٥D		37 🛛	-	-	H	unauthorized animals Contamination prevented during food	
10 Food received at proper temperature	21	۵۵			-	-	\square	preparation, storage & display	
11 🛛 🗌 Food in good condition, safe & unadulterated	21	0		38 🛛	-	-	\square	Personal cleanliness	
12 D B Required records available: shellstock tags,	21	0		39 🛛	+	-		Wiping cloths: properly used & stored	
Protection from Contamination .2653, .2654				40 🛛				Washing fruits & vegetables	
13 🛛 🗆 🗆 Food separated & protected	3 1.5	0		41 🛛	_	_	ofu	Itensils .2653, .2654	
14 I X Food-contact surfaces: cleaned & sanitized	3 🗙	0			+	-	\square	In-use utensils: properly stored Utensils, equipment & linens; properly store	
15 I Proper disposition of returned, previously Served, reconditioned, & unsafe food	21	0		42 🛛	-	-		Utensils, equipment & linens: properly store dried & handled	
Potentially Hazardous Food Time/Temperature .2653				43 🛛				Single-use & single-service articles: proper stored & used	
16 🛛 🗆 🗆 Proper cooking time & temperatures	3 15	0		44 🛛]			Gloves used properly	
17 Proper reheating procedures for hot holding	3 1.5	0		Uter	nsils	and	d Ec	uipment .2653, .2654, .2663 Equipment, food & non-food contact surfac	
18 🛛 🗆 🗆 Proper cooling time & temperatures	3 1.5	0		45 🗆	⊠∣נ			approved, cleanable, properly designed, constructed, & used	
19 🛛 🗆 🗆 Proper hot holding temperatures	3 15			46 🗵			Π	Warewashing facilities: installed, maintaine & used; test strips	
20 🛛 🗖 🗖 Proper cold holding temperatures	3 1.5	סם		47				Non-food contact surfaces clean	
21 🛛 🗆 🗆 Proper date marking & disposition	3 1.5	חח		Phy			cilit		
22 M D D D Time as a public health control:procedures	211	 00		48 🛛	_	_		Hot & cold water available; adequate pressure	
Consumer Advisory .2653				49 🛛			Π	Plumbing installed; proper backflow device:	s ZODO O O O
23 Consumer advisory provided for raw or undercooked foods	103	םם		50 🛛			Η	Sewage & waste water properly disposed	210000
Highly Susceptible Populations .2653				51 🛛	+	-		Toilet facilities: properly constructed, suppli-	
24 C Resteurized foods used; prohibited foods no	3 1.5	0		\vdash	+	-	\vdash	& cleaned Garbage & refuse properly disposed; faciliti maintained	
Chemical .2653, .2657				52	-	-	\mid	maintained Physical facilities installed maintained	
25 C X Food additives: approved & properly used		0		53	+	-		Physical facilities installed, maintained & clean	
26 Toxic substances properly identified stored,	21			54 🖾]			Meets ventilation & lighting requirements; designated areas used	
Conformance with Approved Procedures .2653, .2654, .2658		20						Total Deductions	5
or HACCP plan									
North Carolina Department of Health & Human Services Olivision of Public Health Environmental Health Section Food Protection Program DHHS is an equal opportunity employer. Page 1 of Food Establishment Inspection Report, 3/2013									

Comment Addendum to Food Establishment Inspection Report

Establishment	Name: HARDEE'S #1500479

Location Address: 813 SOUTH MAIN STREET		
City: KERNERSVILLE	State: NC	
County: 34 Forsyth	Zip: 27284	
Wastewater System: Municipal/Community	On-Site System	
Water Supply: Municipal/Community	 On-Site System 	
Permittee: HARDEE'S RESTAURAN	TS, LLC	

Establishment ID: 3034012654

Inspection Re-Inspection	Date: 01/13/2021
Comment Addendum Attached? X Water sample taken? Yes X No	Status Code: A Category #: IV
Email 1: sepperson@ckr.com	
Email 2:	

Telephone: (336) 993-8521

Temperature Observations

Email 3:

Effective January 1, 2019 Cold Holding is now 41 degrees or less					
Temp					
- - - -					

Person in Charge (Print & Sign): Brittany	First	<i>Last</i> Freeman	Britan
Basulatany Authority (Drint & Cian): Domon	First	<i>Last</i> Thomas	Tom I the series & series
Regulatory Authority (Print & Sign): Damon REHS ID: 2877 -			Verification Required Date:
REHS Contact Phone Number: (336) 703-3135 North Carolina Department of Health & Human Services Page 1 of Food Establishment Inspection Report, 3/2013			



Comment Addendum to Food Establishment Inspection Report

Establishment Name: HARDEE'S #1500479

Establishment ID: 3034012654

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 8 6-301.11 Handwashing Cleanser, Availability PF- One handwashing sink did not have cleanser available for use- Each handwashing sink shall be provided with a supply of hand cleaning liquid, powder or bar soap- CDI: Cleanser was provided by the person-in-charge.
- 14 4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency C- REPEAT- Cleaning is needed for the interior surfaces of the ice bin at the beverage dispenser- The surfaces of utensils and equipment contacting food that is not potentially hazardous such as ice bins and ice makers shall be cleaned at a frequency specified by the manufacturer or at a frequency necessary to preclude the accumulation of soil and mold.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C- REPEAT- Complete repairs to seal holes in the rear panel of the 3 compartment sink-Equipment shall be maintained in a state of good repair- Deductions remained at half for improvement.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C- REPEAT- Cleaning is needed for the following pieces of equipment: The interior surfaces and door gaskets in the Beverage-Air refrigerator, Traulsen refrigerator and freezer, the make station under-counter refrigerator and the door of the WIC. The floor and fan-coil unit in the outside WIC, the floor of the Walk-in freezer (WIF), dunnage racks and the floor of the outside dry storage room. The surfaces of the warming cabinet, broiler, fryers, the interior of the cabinets beneath the self-service beverage station, the shelves and legs of most prep and equipment tables, the dry storage shelves and the casters of the shelves in the WIC- Nonfood contact surfaces of equipment shall be kept free of an accumulation of food residue, dust, dirt and other debris.
- 53 6-501.12 Cleaning, Frequency and Restrictions C- REPEAT- Floor cleaning is needed beneath the 3 compartment sink and in the dry storage area- Physical facilities shall be maintained clean- Deductions remained at half for improvement.