Food Establishment Inspection	Rep	00	rt					Score: 95
Establishment Name: SPEEDWAY 6941						Es	tablishment ID: 3034020598	
Location Address: 401 N MAIN ST							XInspection Re-Inspection	
	State:	: <u>N</u> C)				1/22/2021 Status Code: /	۹
Zip: 27284 County: <u>34 Forsyth</u> Time In:2:00 PM Time Out: 4:05 PM						PM		
Permittee: SPEEDWAY, LLC Total Time: 2 hrs 5 min								
	Telephone: (336) 996-3134 Category #: II							aurant
Wastewater System: XMunicipal/Community On-Site System No. of Risk Factor/Intervention Violations: 3						3		
Water Supply: Municipal/Community On-S	Site S	upp	ly				Repeat Risk Factor/Intervention V	
Foodborne Illness Risk Factors and Public Health Interventions Good Reta					Good Retail Practices			
Risk factors: Contributing factors that increase the chance of developing foodborne illness.				Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,				
Public Health Interventions: Control measures to prevent foodborne illness or injury.				and physical objects into foods.				
IN OUT NA NO Compliance Status Supervision .2652	OUT	CDI	R VR			N/A N/	Compliance Status	OUT CDI R VR
I DIC Present: Demonstration Cartification by	x m						Pasteurized eggs used where required	
Employee Health .2652		1010		29 🛛	_		Water and ice from approved source	
2 X Anagement, employees knowledge; responsibilities & reporting	3 15 0			30	_		Variance obtained for specialized proces	
3 I Proper use of reporting, restriction	3 1.5 0						methods ture Control .2653, .2654	
Good Hygienic Practices .2652, .2653				31 🛛			Proper cooling methods used: adequate	
4 🛛 🗆 Proper eating, tasting, drinking, or tobacco	210			32	_		equipment for temperature control	
5 🛛 🗌 No discharge from eyes, nose or mouth	1 0.5 0			\vdash	_			
Preventing Contamination by Hands .2652, .2653, .2655, .265	6			33 🛛	-		Approved thawing methods used	
	4 2 0	+	그미	34 🛛		ntifier	Thermometers provided & accurate	
7 🛛 🗆 🗆 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5 0		미	35 🛛		ntifica	ation .2653 Food properly labeled: original container	
8 🗆 🖾 Handwashing sinks supplied & accessible	21 🛛				_	on of	Food Contamination .2652, .2653, .2654, .2	
Approved Source .2653, .2655			_	36 🛛			Insects & rodents not present; no	210
9 🖾 🗆 Food obtained from approved source	210		그미	37 🖾	_		unauthorized animals Contamination prevented during food	
10 Food received at proper temperature	210			$ \rightarrow $	_		preparation, storage & display	
11 🛛 🗌 Food in good condition, safe & unadulterated	210			38 🛛	-		Personal cleanliness	
12 D B Required records available: shellstock tags, parasite destruction	210			39 🛛			Wiping cloths: properly used & stored	
Protection from Contamination .2653, .2654			_	40			Washing fruits & vegetables	
13 X □ □ Food separated & protected	3 1.5 ()			41 🛛	_	seor	Utensils .2653, .2654 In-use utensils: properly stored	
	3 1.5 🕅		미		-		Utensils, equipment & linens: properly stored dried & handled	
15 D Proper disposition of returned, previously Served, reconditioned, & unsafe food	210			42 🛛	-		dried & handled Single-use & single-service articles: prop	
Potentially Hazardous Food Time/Temperature .2653				43 🖾	-		stored & used	
	3 15 0	+ +		44 🛛			Gloves used properly	
17 Proper reheating procedures for hot holding	3 1.5 0		미	Utens	sils	and E	quipment .2653, .2654, .2663 Equipment, food & non-food contact surfa	aces
18 Proper cooling time & temperatures	3 1.5 0			45 🗆	⊠		approved, cleanable, properly designed, constructed, & used	
19 🛛 🗆 🗆 Proper hot holding temperatures	3 15 0			46 🖾			Warewashing facilities: installed, maintair & used; test strips	ned, mein
20 🛛 🗆 🗆 Proper cold holding temperatures	3 1.5 0			47 🗆			Non-food contact surfaces clean	
21 🛛 🗆 🗆 Proper date marking & disposition	3 1.5 0			Phys		Facili		
Time or a public health control procedures	210			48 🖾			Hot & cold water available; adequate pressure	
Consumer Advisory .2653				49 🛛			Plumbing installed; proper backflow device	xes ZOD
23 Consumer advisory provided for raw or undercooked foods	1 0.9 0			50 🖾			Sewage & waste water properly disposed	
Highly Susceptible Populations .2653			Ţ	51 🗆			Toilet facilities: properly constructed, supple cleaned	
24 Pasteurized foods used; prohibited foods not	3 1.5 0			52			Garbage & refuse properly disposed; facil	lities
Chemical .2653, .2657	1 0 0 0		-1		_		Physical facilities installed, maintained	
25 G X Food additives: approved & properly used	1 0.5 0			53			& clean	
26 2 Toxic substances properly identified stored, & used	2 1 0			54 🖾			Meets ventilation & lighting requirements designated areas used	
Compliance with variance specialized	210						Total Deduction	ns: 5
or HACCP plan								
North Carolina Department of Health & Human Services Division of Public Health Food Protection Program DHHS is an equal opportunity employer. Page 1 of Food Establishment Inspection Report, 3/2013							ogram	

Comment Addendum to Food Establishment Inspection Report Establishment ID: 3034020598

Establishment Name: SPEEDWAY 6941	Establishment ID: 3034020598					
Location Address: 401 N MAIN ST City: KERNERSVILLE State: NC	X Inspection Re-Inspection Date: 01/22/2021 Comment Addendum Attached? X Status Code: A					
County: 34 Forsyth Zip: 27284	Water sample taken? Yes X No Category #: II					
Wastewater System: Municipal/Community On-Site System Water Supply: Municipal/Community On-Site System	Email 1:0006941@stores.speedway.com					
Permittee: SPEEDWAY, LLC	Email 2:					
Telephone: (336) 996-3134	Email 3:					
Temperature Observations						

Effective January 1, 2019 Cold Holding is now 41 degrees or less							
Item hot dog	Location roller grill	Temp Item 180	Location	Temp Item	Location	Temp	
sausage	roller grill	190					
cheese tornado	roller grill	176					
steak tornado	roller grill	178					
egg roll	roller grill	176					
hamburger	sandwich cooler	41					
sausage and cheese sandwich	sandwich cooler	41					
ambient air	sandwich cooler	39					
hot dog	Delfield refrigerator	30					
sausage	Delfield refrigerator	30					
egg roll	Delfield refrigerator	25					
hot water	3 compartment sink	130					
quat sani	3 comp sink 200ppm	00					

Person in Charge (Print & Sign): Suzanne	First	Pratt	Last	SCP		
	First		Last			
Regulatory Authority (Print & Sign): Damon		Thomas		Dulle, RUSS # 2077		
REHS ID: 2877 -		Verification Required Date:				
REHS Contact Phone Number: (336) 703-3135 North Carolina Department of Health & Human Services Page 1 of Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer. Food Establishment Inspection Report, 3/2013						

Comment Addendum to Food Establishment Inspection Report

Establishment Name: SPEEDWAY 6941

Establishment ID: 3034020598

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 1 2-102.12 Certified Food Protection Manager C- REPEAT- The establishment did not a have certified food protection manager on-site during the inspection- At least one employee who has supervisory and management responsibility and the authority to direct and control food preparation and service shall be a certified food protection manager who has shown proficiency of required information through passing a test that is part of an American National Standards Institute (ANSI) accredited program.
- 8 6-301.11 Handwashing Cleanser, Availability PF- The handwash sink in the men's bathroom did not have hand cleanser available for use- Each handwashing sink shall be provided with a supply of hand cleaning liquid, powder or bar soap- Hand cleanser was provided by the person-in-charge-0 pts.
- 14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils P- 8 plastic food storage containers were stored as clean with visible stickers and glue residue on their surfaces. Ensure stickers and residue are removed completely during the cleaning process-Equipment food contact surfaces and utensils shall be clean to the sight and touch- CDI: All items were sent to be cleaned- 0 pts.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C- REPEAT- The following items need to be reconditioned to remove rusting or replaced: The underside of the drainboards and legs of the three compartment sink, the lower shelfs of the drain racks above the three compartment sink, the legs of the prep table and the legs of the storage shelf in the prep room. Repair or replace the torn door gaskets for the beverage coolers-Nonfood contact surfaces of equipment shall be kept free of an accumulation of food residue, dust, dirt and other debris.
- 47 4-601.11 (B) and (C) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils C- REPEAT- Cleaning is need for the following pieces of equipment: The floor inside of the walk-in freezer, the interior surfaces and the door of the Delfield refrigerator, the interior surfaces of the cabinets below the beverage station and roller grill where the trash cans are stored and beneath the Speedy Premium machine- Nonfood contact surfaces of equipment shall be kept free of an accumulation of food residue, dust, dirt and other debris- Deductions at half for improvement.
- 51 5-501.17 Toilet Room Receptacle, Covered C- Provide a fully covered trash can for use inside of the women's restroom- A toilet room used by females shall be provided with a covered receptacle for sanitary napkins- 0 pts.
- 52 5-501.113 Covering Receptacles C- The door to the dumpsters for trash and recycling were open- Receptacles and waste handling units for refuse, recyclables and returnables shall be kept covered with tight-fitting lids or doors if kept outside of the food establishment 0 pts
- 53 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C- REPEAT- Repairs need to made to the ceiling tile in the dry storage area. Physical facilities shall be maintained in good repair.