Food Establishment Inspection Report Score: 98.5 Establishment Name: HENRY F SHAFFNER HOUSE Establishment ID: 3034012264 Location Address: 150 SOUTH MARSHALL STREET X Inspection Re-Inspection Date: 06/15/2021 City: WINSTON SALEM State: NC Status Code: A County: 34 Forsyth Zip: 27101 Time In:9:40 AM Time Out: 11:30 AM Total Time: 1 hrs 50 min Permittee: SUNSET HOLDINGS LLC Telephone: (336) 777-0052 Category #: II FDA Establishment Type: Full-Service Restaurant No. of Risk Factor/Intervention Violations: 3 Water Supply: X Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations: 2 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. OUT CDI R VR IN OUT N/A N/O OUT CDI R VR IN OUT N/A N/d Compliance Status Compliance Status Safe Food and Water 2653, .2655, .2658 Supervision .2652 PIC Present; Demonstration-Certification by accredited program and perform duties 1 | | | | | | | 28 Pasteurized eggs used where required **Employee Health** .2652 210000 29 🛛 Water and ice from approved source Management, employees knowledge; responsibilities & reporting Variance obtained for specialized processing [1 03 0] 2 🛛 🗆 3 1.5 0 - -30 methods Proper use of reporting, restriction X 3 1.5 0 Food Temperature Control .2653, .2654 & exclusion Good Hygienic Practices .2652, .2653 Proper cooling methods used; adequate 31 🛛 1 0.5 0 equipment for temperature control Proper eating, tasting, drinking, or tobacco 4 X 32 Plant food properly cooked for hot holding 1 0.5 0 5 X 1 0.5 0 No discharge from eyes, nose or mouth 33 🛛 1 0.5 0 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 X Thermometers provided & accurate X П Hands clean & properly washed 420 -No bare hand contact with RTE foods or pre approved alternate procedure properly followed Food Identification 3 1.5 0 X 35 🛛 🗀 Food properly labeled: original container X 8 Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657 Approved Source .2653, .2655 Insects & rodents not present; no 36 X unauthorized animals X Food obtained from approved source Contamination prevented during food preparation, storage & display 210 - -37 🛛 10 2100 38 🛚 1050 - -Personal cleanliness X Food in good condition, safe & unadulterated 210 🗆 🗆 11 39 🛛 Wiping cloths: properly used & stored 1 0.5 0 □ 🗵 □ Required records available: shellstock tags, parasite destruction 210 -40 X □ 1 0.5 0 -Washing fruits & vegetables Protection from Contamination .2653, .2654 Proper Use of Utensils 3 1.5 0 - -41 🖾 🗆 1 0.5 0 In-use utensils: properly stored 14 X 3 15 **X** X X 🗆 Food-contact surfaces: cleaned & sanitized 42 🛛 🗆 Proper disposition of returned, previously 15 X 210 - -Served, reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 1 0.5 0 | | | | Potentially Hazardous Food Tlme/Temperature .2653 3 1.5 0 44 X Gloves used properly П 1 0.5 0 Utensils and Equipment .2653, .2654, .2663 3 1.5 0 ☐ ☐ Proper reheating procedures for hot holding Equipment, food & non-food contact surface 45 X 🗆 3 1.5 0 🔲 🗀 18 □ | ☑ Proper cooling time & temperatures approved, cleanable, properly designed, constructed, & used Warewashing facilities: installed, maintained & used: test strips 19 3 1.5 0 □ X Proper hot holding temperatures 46 X 10.50 - -3 1.5 0 20 X □ □ □ Proper cold holding temperatures 47 | X | □ 1 0.5 0 Non-food contact surfaces clean Physical Facil 3 1.5 0 🗆 🗆 21 .2654, .2655, .2656 ☐ ☐ Proper date marking & disposition

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan North Carolina Department of Health & Human Services

Conformance with Approved Procedures .2653, .2654, .2658

undercooked foods

22

26 X

23 🖾 🗆 🗆

|24| 🗆 | 🗆 | 🛭

Chemical

|25| 🗆 | 🗆 | 🔯

Consumer Advisory

Highly Susceptible Populations

Time as a public health control:procedures & records

Consumer advisory provided for raw or

.2653

.2653, .2657

Food additives: approved & properly used

Toxic substances properly identified stored,

Pasteurized foods used; prohibited foods not 3 1.50 ____



Hot & cold water available;

& cleaned

Plumbing installed; proper backflow devices


Garbage & refuse properly disposed; facilities maintained

Physical facilities installed, maintained

Meets ventilation & lighting requirements; designated areas used

Toilet facilities: properly constructed, supplied

Sewage & waste water properly disposed



Total Deductions:



1.5

210 - -

210 - -

1 0.5 0

1 0.5 0 - -

48 🖾 🖂 🖂

ПΠ

X

49 X

50 🛛

51 🛛

52 🛛

53

54 💢

210 - -

1 0.5 0 - -

10.50 | | | | |

Comment Addendum to Food Establishment Inspection Report Establishment ID: 3034012264 Establishment Name: HENRY F SHAFFNER HOUSE Location Address: 150 SOUTH MARSHALL STREET Date: 06/15/2021 X Inspection Re-Inspection City: WINSTON SALEM State: NC Comment Addendum Attached? X Status Code: A Zip: 27101 County: 34 Forsyth Water sample taken? Yes X No Category #: II Email 1: bfalls@sgroupadmin.com Water Supply: Municipal/Community On-Site System Permittee: SUNSET HOLDINGS LLC Email 2: Telephone: (336) 777-0052 Email 3: Temperature Observations Effective January 1, 2019 Cold Holding is now 41 degrees or less Item Location Temp Item Location Temp Item Temp 39.5 havarti three door cooler 40.0 sausage three door cooler 38.5 ambient three door cooler 40.0 milk three door cooler 122.0 hot water three comp sink 300.0 quat sani sani spray bottle 300.0 quat sani three comp sink 100.0 dishmachine cl sani 104.0 hand sink hot water First Last Ashin Atra Haloney Person in Charge (Print & Sign): Austin Hayes First Last Regulatory Authority (Print & Sign): Shannon Maloney

REHS ID: 2826 - Maloney, Shannon Verification Required Date:





Comment Addendum to Food Establishment Inspection Report

Establishment Name: HENRY F SHAFFNER HOUSE Establishment ID: 3034012264

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 6-301.14 Handwashing Signage -Handwashing signs missing at all handwashing sinks. A sign or poster that notifies food employees to wash their hands shall be provided at all handwashing sinks used by food employees and shall be clearly visible to food employees. CDI- Handwashing signs were given to person in charge.//6-301.12 Hand Drying Provision (PF)- upon arrival, handwashing sink by make unit did not have paper towels. Each handwashing sink shall be supplied with hand drying mechanism. CDI- PIC restocked paper towels.// 5-205.11 Using a Handwashing Sink-Operation and Maintenance (PF)- back handwashing sink by dish machine was blocked. A handwashing sink shall be maintained so that it is accessible at all times. CDI- cart that was blocking sink was moved to approved location.
- 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils (P)-One plate and two plastic containers were soiled with food residue. Equipment, food contact surfaces and utensils shall be clean to sight and touch. CDI-all items were sent to be rewashed.
- 7-201.11 Separation-Storage (P)- one quat sanitizer spray bottle stored on prep table (sanitizer read 300ppm). Toxic materials shall be stored so they can not contaminate food, utensils or single use articles. CDI- bottle was moved to proper location.
- 34 4-302.12 Food Temperature Measuring Devices (PF)- Food thermometer not present in establishment. Food temperature measuring device shall be provided and readily accessible for use. CDI- PIC bought food thermometer.
- 6-201.11 Floors, Walls and Ceilings-Cleanability Repair ceiling that is peeling near handwashing sink. Repair peeling wall paper in kitchen near knife storage. Floors, walls, wall coverings, and ceilings shall be designed, constructed, and installed so they are smooth and easily cleanable.