Food Establishment Inspection	Re	ерс	ort						Score: 95.5
Establishment Name: JIMMY JOHN'S #3319							Es	tablishment ID: 3034012562	
Location Address: 615 JONESTOWN RD								XInspection Re-Inspection	
	Stat	ie: N	1C					02/15/2021 Status Code:	Α
Zip: 27103 County: 34 Forsyth	Zip: 27103 County: <u>34 Forsyth</u> Time In:2:58 PM Time Out:4:18 PM				BPM				
Permittee: TARHEEL INVESTMENTS HOLDING, I	NC.							Time: 1 hrs 20 min	
Telephone: (336) 448-5766								ory #: <u> </u>	
Wastewater System: XMunicipal/Community	Or	n-Sit	e Sy	ste	em		JA E	Establishment Type: Full-Service Re Risk Factor/Intervention Violation	
Water Supply: XMunicipal/Community On-S	Site	Sup	ply					Repeat Risk Factor/Intervention	
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness.					Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals,				
Public Health Interventions: Control measures to prevent foodborne illness or									
IN OUTINA NO Compliance Status	OU	T CD	RV	ᆚᄂ	_		N/A N		OUT CDI R VR
Supervision .2652	197			ㅋㅌ		_		d Water .2653, .2655, .2658	
1 DIX DIPIC Present; Demonstration-Certification by accredited program and perform duties	X			리는	28	_	X	Pasteurized eggs used where required	
Management, employees knowledge;	3 15			⊐l⊫	29 🛛	-		Water and ice from approved source	
3 Proper use of reporting, restriction	3 16			- 13	30 🗆			Variance obtained for specialized proces methods	
Good Hygienic Practices .2652, .2653	0 14	تاك		ΗĐ	_	_	mper	ature Control .2653, .2654 Proper cooling methods used; adequate	
4 Proper eating, tasting, drinking, or tobacco	21			ᆡᅡ	31 🛛	-		equipment for temperature control	
5 🛛 🗌 No discharge from eyes, nose or mouth	\square			٦ľ	32 🗆	-			
Preventing Contamination by Hands .2652, .2653, .2655, .265				1	33 🗆			Approved thawing methods used	
6 🖾 🗆 Hands clean & properly washed				ᅬᇿ	34 🛛			Thermometers provided & accurate	
7 🖾 🗆 🗆 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5			ШE	Food	_	entific		
8 X Handwashing sinks supplied & accessible	21	mr		٦Ľ	35 🛛			Food properly labeled: original contained	
Approved Source .2653, .2655				1	_	_	on of	Food Contamination .2652, .2653, .2654, .2 Insects & rodents not present; no	
9 🛛 🗆 Food obtained from approved source	21			ᆘ	36 🛛	-		unauthorized animals	
10 D SFood received at proper temperature	21	\vdash		ᆔᄂ	37 🖾	_		Contamination prevented during food preparation, storage & display	
11 🛛 🗌 Food in good condition, safe & unadulterated				ŧĿ	38 🛛			Personal cleanliness	
12 C Required records available: shellstock tags,	21			븳	39 🛛			Wiping cloths: properly used & stored	
Protection from Contamination .2653, .2654	-	ت ات		46	40 🛛			Washing fruits & vegetables	
13 X C Food separated & protected	3 1.5			٦E	Prop	_	lse of	Utensils .2653, .2654	
	3 1				\$1	⊠		In-use utensils: properly stored	
Proper disposition of returned, previously	2 1	\vdash		-14	\$2			Utensils, equipment & linens: properly so dried & handled	
Potentially Hazardous Food Time/Temperature .2653		ت ا			\$3 🖾			Single-use & single-service articles: prop stored & used	perty II EI II
16 C Proper cooking time & temperatures	3 15	٥٥		314	14 🛛		\square	Gloves used properly	
17 D D Proper reheating procedures for hot holding	3 1.5			٦Ŀ	Uten	sils	and l	Equipment .2653, .2654, .2663	
18 Proper cooling time & temperatures					45 🗆			Equipment, food & non-food contact surf approved, cleanable, properly designed, constructed, & used	
19 C X C Proper hot holding temperatures	-			귀┣		_	\vdash	Warewashing facilities: installed, maintai	
	\square			⊣⊢	46 🖾	_		& used; test strips	
	++			L	\$7 🗆		Facil	Non-food contact surfaces clean	
21 X C Proper date marking & disposition	\square			-10	Phys ⁴⁸ 🖾			lities .2654, .2655, .2656 Hot & cold water available; adequate pressure	
22 C K C Time as a public health control:procedures	21			ᆡ⊢	19 🛛	-	-	adequate pressure Plumbing installed; proper backflow devi	
Consumer Advisory .2653 Z3 Z3 Z3 Z3 Z3 Z4 Z4 Z5 Z5	1 0.9			ΠH	_	-	\vdash		
Highly Susceptible Populations .2653	20	<u>ت</u> ات		۳ŀ	50 🖾	-		Sewage & waste water properly dispose	
24 Pasteurized foods used; prohibited foods not	3 1.5			ᅫᄂ	51 🛛			Toilet facilities: properly constructed, sup & cleaned	
Chemical .2653, .2657				ť	52 🛛			Garbage & refuse properly disposed; fac maintained	
25 🔲 🖂 🛛 Food additives: approved & properly used	1 0.5]	53 🗌	\boxtimes		Physical facilities installed, maintained & clean	
26 I I I Toxic substances properly identified stored, & used	2 1				54 🖾			Meets ventilation & lighting requirements designated areas used	
Conformance with Approved Procedures .2653, .2654, .2658				ļŀ	1				
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	21			║				Total Deductio	JIIS: 14.0
North Carolina Department of Health & Human Services Page 1 of Food Protection Program Page 1 of Food Establishment Inspection Report, 3/2013									

Comment Addendum to Food Establishment Inspection Report

Establishment Name: JIMMY JOHN'S #3319	Establishment ID: 3034012562			
Location Address: 615 JONESTOWN RD		Inspection Re-Insp	ection	Date: 02/15/2021
City: WINSTON SALEM	State:NC	Comment Addendum Attached		Status Code: A
County: 34 Forsyth Z	ip: 27103	Water sample taken? Yes	X No	Category #: II
Wastewater System: Municipal/Community On- Water Supply: Municipal/Community On-	Email 1:kevinphoeing@gmail.com			
Permittee: TARHEEL INVESTMENTS HOLD	Email 2:			
Telephone: (336) 448-5766		Email 3:		

Temperature Observations							
Effective January 1, 2019 Cold Holding is now 41 degrees or less							
Item Tomatoes	Location make-unit	Temp Item 39	Location	Temp Item	Location	Temp	
Lettuce	make-unit	39					
Ham	make-unit	38					
Turkey	make-unit	37					
Roast Beef	make-unit	40					
Ham	walk-in cooler	36					
Turkey	walk-in cooler	36					
Roast Beef	walk-in cooler	36					
Hot Water	3-compartment sink	150					
C. Sani	3-compartment sink	200					

First Person in Charge (Print & Sign): Donnelley	t Last Arnette	Donnellestreet				
First Regulatory Authority (Print & Sign): Victoria	t Last Murphy	2 Mm				
REHS ID: 2795 - Murp	ny, Victoria	Verification Required Date:				
REHS Contact Phone Number: (336) 703-3814 North Carolina Department of Health & Human Services Page 1 of Food Establishment Inspection Report, 3/2013 Page 1 of Food Establishment Inspection Report, 3/2013						

Comment Addendum to Food Establishment Inspection Report

Establishment Name: JIMMY JOHN'S #3319

Establishment ID: 3034012562

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

- 1 2-102.11 Demonstration -REPEAT- C: There was no food protection manager on shift during the inspection. The person in charge shall demonstrate knowledge of foodborne disease prevention, application of hazard analysis and critical control point principles, and the requirements of this code. The person in charge shall demonstrate this knowledge by being a certified food protection manager who has shown proficiency of required information throughout passing a test that is part of accredited program.
- 14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils P: The following items were soiled: 6 drink nozzles, 1 veggie chopper, and 1 cutting board. Food-contact surfaces shall be clean to sight and touch. CDI: PIC removed items and cleaned them.
- 41 3-304.12 In-Use Utensils, Between-Use Storage C: A scoop used for tuna salad was stored in standing water. During pauses in food preparation, food preparation and dispensing utensils shall be stored: In a container of water if the water is maintained at a temperature of at least 135 F and the container is clean.
- 45 4-501.11 Good Repair and Proper Adjustment-Equipment- REPEAT- C: Shelves are rusting in the clean dish area. Equipment shall be maintained in good repair.
- 47 4-602.13 Nonfood Contact Surfaces C: Cleaning is needed to/on the following: freezer floor, cooler floor, and shelves in walk-in cooler. Nonfoodcontact surfaces of equipment shall be cleaned at a frequency necessary to preclude accumulation of soil residues.
- 53 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods-REPEAT- C: Recaulk around toilets in men and women's restroom. Physical facilities shall be maintained in good repair.